acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

SECTION 1: Identification

1.1 Product identifier

Trade name Bug Off

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Cleaner/degreaser

Professional use Industrial use

Uses advised against Do not use for squirting or spraying. Do not use for

products which come into direct contact with the skin.

HS code 3402.42.90

.

1.3 Details of the supplier of the safety data sheet

Auto Detail Depot, LLC 1620 W Lewis St Suite F Pasco, WA 99301

(509) 727-9825 aretechem.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	1	Skin Corr. 1	H314
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
B.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

United States: en Page: 1 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

- Precautionary statements

P234 Keep only in original container.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

Alcohols, C9-11 ethoxylated, sodium hydroxide

2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318
2-butoxy-1-ethanol	CAS No 111-76-2	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227
sodium hydroxide	CAS No 1310-73-2	0.1-<1	Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Met. Corr. 1 / H290

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

United States: en Page: 2 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Revision: 2023-11-08

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

United States: en Page: 3 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Control of the effects

Protect against external exposure, such as

fros

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

United States: en Page: 4 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Control	i parameters										
Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	2-butoxyethanol	111-76-2	REL	5 (10 h)	24 (10 h)						NIOS H REL
US	2-butoxyethanol	111-76-2	TLV®	20							AC- GIH® 2019
US	2-butoxyethanol	111-76-2	PEL	50	240						29 CFR 1910.1 000
US	2-butoxyethanol (EGBE) (glycol monobutyl ether)	111-76-2	PEL (CA)	20	97						Cal/ OSHA PEL
US	sodium hydroxide	1310-73- 2	REL						2		NIOS H REL
US	sodium hydroxide	1310-73- 2	TLV®						2		AC- GIH® 2019
US	sodium hydroxide	1310-73- 2	PEL		2						29 CFR 1910.1 000
US	sodium hydroxide (caustic soda)	1310-73- 2	PEL (CA)						2		Cal/ OSHA PEL

Notation

Ceiling-C STEL

TWA

ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Biological limit values								
Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source		
US	2-butoxyethanol	Butoxyacetic acid (BAA)	hydr, crea	BEI®	200 mg/g	ACGIH® 2019		

Notation

crea creatinine hydr hydrolysis

United States: en Page: 5 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
2-butoxy-1-ethanol	111-76-2	DNEL	75 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
2-butoxy-1-ethanol	111-76-2	DNEL	98 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
2-butoxy-1-ethanol	111-76-2	DNEL	1,091 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
2-butoxy-1-ethanol	111-76-2	DNEL	246 mg/m³	human, inhalatory	worker (industry)	acute - local effects
sodium hydroxide	1310-73-2	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects

Relevant PNECs of components

Relevant FNECS of components						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg/} l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg/} l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg/} l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg/} kg	benthic organisms	sediment	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg/} kg	pelagic organisms	sediment	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg/} kg	terrestrial organ- isms	soil	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg/} l	aquatic organisms	water	intermittent release
2-butoxy-1-ethanol	111-76-2	PNEC	463 ^{mg/} l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
2-butoxy-1-ethanol	111-76-2	PNEC	35 ^{mg/} kg	benthic organisms	sediment	short-term (single instance)
2-butoxy-1-ethanol	111-76-2	PNEC	9.1 ^{mg/} l	aquatic organisms	water	intermittent release
2-butoxy-1-ethanol	111-76-2	PNEC	8.8 ^{mg/} l	aquatic organisms	freshwater	short-term (single instance)
2-butoxy-1-ethanol	111-76-2	PNEC	0.88 ^{mg/} l	aquatic organisms	marine water	short-term (single instance)
2-butoxy-1-ethanol	111-76-2	PNEC	463 ^{mg/} l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-butoxy-1-ethanol	111-76-2	PNEC	35 ^{mg/} kg	aquatic organisms	freshwater sediment	short-term (single instance)

United States: en Page: 6 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
2-butoxy-1-ethanol	111-76-2	PNEC	3.5 ^{mg/} kg	aquatic organisms	marine sediment	short-term (single instance)
2-butoxy-1-ethanol	111-76-2	PNEC	2.3 ^{mg/_{kg}}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	violet
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

pH (value)	13 (25 °C) (base)
Melting point/freezing point	-75 °C at 1 atm
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 1,013 hPa closed cup

United States: en Page: 7 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	1 g/ml
Vapor density	this information is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	230 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T2D (maximum permissible surface temperature on the equipment: 215°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United States: en Page: 8 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg/} kg
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg/} kg
2-butoxy-1-ethanol	111-76-2	oral	1,414 ^{mg/} kg
2-butoxy-1-ethanol	111-76-2	inhalation: vapor	11 ^{mg/} i/4h
sodium hydroxide	1310-73-2	oral	325 ^{mg/} kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Remarks	Number
2-butoxy-1-ethanol	111-76-2	3		

Legend

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 9 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aguatic toxicity (acute) of components Name of substance CAS No 8.5 mg/I Alcohols, C9-11 eth-68439-46-3 LC50 fathead minnow 96 h oxylated 5.3 mg/_I Alcohols, C9-11 eth-68439-46-3 EC50 48 h daphnia magna oxylated Alcohols, C9-11 eth-68439-46-3 ErC50 $1 - 10^{mg/l}$ algae 96 h oxylated 1,474 mg/l 2-butoxy-1-ethanol 111-76-2 LC50 fish 96 h 2-butoxy-1-ethanol 111-76-2 EC50 1,550 ^{mg/l} aquatic invertebrates 48 h 1,840 mg/I 2-butoxy-1-ethanol 111-76-2 ErC50 algae 72 h <180 ^{mg/l} sodium hydroxide 1310-73-2 LC50 fish 96 h

EC50

40 mg/I

aquatic invertebrates

48 h

12.2 Persistence and degradability

sodium hydroxide

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

1310-73-2

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 10 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

SECTION 14: Transport information

14.1 UN number

DOT UN 3267
IMDG-Code UN 3267
ICAO-TI UN 3267

14.2 UN proper shipping name

DOT Corrosive liquid, basic, organic, n.o.s.

IMDG-Code CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

8 8

8

ICAO-TI Corrosive liquid, basic, organic, n.o.s.

Technical name (hazardous ingredients) sodium hydroxide

14.3 Transport hazard class(es)

DOT
IMDG-Code
ICAO-TI

14.4 Packing group

DOT III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN3267, Corrosive liquid, basic, organic, n.o.s., (sodi-

um hydroxide, solution), 8, III

Reportable quantity (RQ) 171,600 lbs (77,906 kg) (sodium hydroxide)

Danger label(s) 8



Special provisions (SP) IB3, T7, TP1, TP28

ERG No 153

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 8



Special provisions (SP) 223, 274

United States: en Page: 11 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

Segregation group 18 - Alkalis

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E1

Limited quantities (LQ)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed (ACTIVE) or exempt from list-

...9

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

 Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sodium hydroxide	1310-73-2		1	1000 (454)

Legend

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
2-butoxy-1-ethanol	111-76-2	co-solvent	OEHHA RELs
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELs

United States: en Page: 12 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
2-butoxy-1-ethanol		1022			1.0 %
sodium hydroxide	1310-73-2				1.0 %

- Hazardous Substances List (MN-ERTK)

2-butoxy-1-ethanol	111-76-2	A, O	skin
Name of substance	CAS No	References	Remarks

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational 0 Safety and Health Division

skin If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name.

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
2-butoxy-1-ethanol	111-76-2		CA F2
sodium hydroxide	1310-73-2		CO R1

Legend

CA Carcinogenic

СО Corrosive

F2 Flammable - Second Degree

Reactive - First Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
ETHANOL, 2-BUTOXY-	111-76-2	
SODIUM HYDROXIDE (NA(OH))	1310-73-2	Е

Legend

Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
2-butoxy-1-ethanol	111-76-2	Т
2-butoxy-1-ethanol	111-76-2	Т
sodium hydroxide	1310-73-2	T, F
sodium hydroxide	1310-73-2	T, F
sodium hydroxide	1310-73-2	T, F

Legend

Flammability (NFPA®) Toxicity (ACGIH®)

United States: en Page: 13 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 1 %

- Regulated Volatile Organic Compounds (VOC-Cal ARB) 1 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	1	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed

United States: en Page: 14 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Version number: GHS 2.0

Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 1)

Country	Inventory	Status
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
VN	NCI	all ingredients are listed

Legend

AIIC CICR CSCL-ENCS Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation

List of Existing and New Chemical Substances (CSCL-ENCS)

DSL

Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI**

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS

Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
National Chemical Inventory KECI NCI New Zealand Inventory of Chemicals NZIoC

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.1	Trade name: Daytona Bug Remover	Trade name: Bug Remover	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)

United States: en Page: 15 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect ing human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal ity during a specified time interval
LHS	Lower hazard substance
Met. Corr.	Substance or mixture corrosive to metals
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration

United States: en Page: 16 / 17

acc. to 29 CFR 1910.1200 App D

Daytona Bug Remover

Revision: 2023-11-08

Version number: GHS 2.0 Replaces version of: 2023-11-07 (GHS 1)

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17